MMx20-26



MMx20-26:
Simple and sturdy floor scrubber

FIMAP®

MMx20-26



Standard equipment	MMx20 B	MMx20 Bt	MMx26 Bt
comfortable			
Timing counter	•	•	•
Eco one-key energy-saving mode	-	•	•
Electronic control panel with diagnostics	-	•	•
Brush head lifting pedal	Manual	Manual	Manual
Remove the brush	automatic	automatic	Manual
Manual brush adjustment	•	-	-
Comfortable absorbent squeegee handles	•	•	•
Speed adjustment	-	•	•
Absorbent squeegee strips can be used on all sides	•	•	•
Yellow tinted fittings for easy maintenance	•	•	•
Water level indicator	•	•	•
safe			
Manual parking	•	•	•
Non-slip wheels	•	•	•
Sturdy steel frame	•	•	•

Matching	MMx20 B	MMx20 Bt	MMx26 Bt
CB (On-Board Charger)	•	•	•
Splash guards	•	•	-

MMx20-26

Technical data		MMx20 B	MMx20 Bt	MMx26 Bt
Clear water tank	l	40	40	50
Sewage tanks	l	60	60	65
power supply	V/W	24	24	24
Working width	mm	510	510	655
Absorbent squeegee width	mm	700	700	800
The work efficiency is achievable	sq.m/h	1850	1850	2425
Disc brush	(n.) mm	(1) 510	(1) 510	(2) 340
Brush head pressure	Medical history	23	23	30
Brush plate motor	V/W	24/500	24/500	24/800
Brush head speed	rpm	140	140	240
Suction motor	V/W	24/480	24/480	24/480
Drive mode	-	Semi-automatic	automatic	automatic
Traction motors	V/W	-	24/150	24/150
Forward speed	Km/h	-	3,5	3,5
Battery compartment dimensions (LXHXW)	mm	335x290x365	335x290x365	335x290x365
Battery (n.)	V/Ah C5	12/100 (2)	12/100 (2)	12/100 (2)
Machine Dimensions (Lxhxw)	mm	1210x1035x725	1210x1035x725	1472x1035x820
Machine weight (without battery)	Medical history	74	78	88

certificate

For more information, please contact your local dealer.

www.fimap.com

FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy
Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

Fimap reserves the right to make technical and/or device modifications at any time without prior notice.